

43



UNITED STATES PATENT AND TRADEMARK OFFICE

COMMISSIONER FOR PATENTS
UNITED STATES PATENT AND TRADEMARK OFFICE
WASHINGTON, D.C. 20231
www.uspto.gov

APPLICATION NUMBER	FILING/RECEIPT DATE	FIRST NAMED APPLICANT	ATTORNEY DOCKET NUMBER
09/736,640	12/14/2000	Eric J. Panken	P-7443.00

Girma Wolde-Michael
Medtronic, Inc., MS 301
7000 Central Avenue NE
Minneapolis, MN 55432



CONFIRMATION NO. 8153

FORMALITIES LETTER



OC000000005723633

Date Mailed: 01/31/2001

NOTICE TO FILE MISSING PARTS OF NONPROVISIONAL APPLICATION

FILED UNDER 37 CFR 1.53(b)

Filing Date Granted

An application number and filing date have been accorded to this application. The item(s) indicated below, however, are missing. Applicant is given TWO MONTHS from the date of this Notice within which to file all required items and pay any fees required below to avoid abandonment. Extensions of time may be obtained by filing a petition accompanied by the extension fee under the provisions of 37 CFR 1.136(a).

- The oath or declaration is unsigned.
- To avoid abandonment, a late filing fee or oath or declaration surcharge as set forth in 37 CFR 1.16(e) of \$130 for a non-small entity, must be submitted with the missing items identified in this letter.
- The balance due by applicant is \$ 130.

The application is informal since it does not comply with the regulations for the reason(s) indicated below. Applicant is given TWO MONTHS from the date of this Notice within which to correct the informalities indicated below.

The required item(s) identified below must be timely submitted to avoid abandonment:

- Substitute drawings in compliance with 37 CFR 1.84 because:
 - drawing sheets do not have the appropriate margin(s) (see 37 CFR 1.84(g)). Each sheet must include a top margin of at least 2.5 cm. (1 inch), a left side margin of at least 2.5 cm. (1 inch), a right side margin of at least 1.5 cm. (5/8 inch), and a bottom margin of at least 1.0 cm. (3/8 inch);

A copy of this notice MUST be returned with the reply.

09736640
03/14/2001 BNGUYEN1 00000047 132546
01 FC:105 130.00 CH

S. S. Chai

Customer Service Center

Initial Patent Examination Division (703) 308-1202

PART 2 - COPY TO BE RETURNED WITH RESPONSE

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

MISSING PARTS TRANSMITTAL



In re Application of: PANKEN et al
For: ATRIAL AWARE VVI-A METHOD FOR ATRIAL SYNCHRONOUS VENTRICULAR (VDD/R) PACING USING THE SUBCUTANEOUS ELECTRODE ARRAY AND A STANDARD PACING LEAD
Serial No.: 09/736,640
Filed: DECEMBER 14, 2000

CERTIFICATE OF MAILING UNDER 37 CFR 1.8: I hereby certify that this **MISSING PARTS** and the paper(s), as described herein, are being deposited in the U.S. Postal Service, as first class mail, addressed to the Box Missing Parts, Commissioner of Patents and Trademarks, Washington, D.C. 20231 on this 27th day of March, 2001.

Signature

FRAYDA M. NITSCHKE

Printed Name

Box Missing Parts
Commissioner of Patents and Trademarks
Washington, D.C. 20231

Sir:

We are transmitting herewith the attached:

- ☒ Signed Combined Declaration and Power of Attorney
- ☒ Notice to File Missing Parts of Application - Part 2
- ☒ Return Postcard

☒ Please charge Missing Parts surcharge of \$130.00 to Deposit Account No. 13-2546.

☐ Applicant hereby petitions for a _____ months' extension of time. If an additional extension of time is required, please consider this petition therefor.

☒ Applicant believes that no extension of time is required. However, if an extension of time is required, please consider this a petition therefor to provide for the possibility that applicant has inadvertently overlooked the need for an extension of time.

☒ Please charge any additional fees or credits to Deposit Account No. 13-2546 which may have been overlooked on this Missing Parts Transmittal with regard to this filing. A duplicate of this transmittal is enclosed.

Date

GIRMA WOLDE-MICHAEL

Reg. No. 36,724

MEDTRONIC, INC.

7000 Central Avenue N.E.

Minneapolis, Minnesota 55432

Telephone: (763) 514-6402